www.penosil.com

Krimelte Ltd Suur-Paala 10 13619 Tallinn Estonia

tel +372 605 9300 fax +372 605 9315 info@penosil.com

SAFETY DATA SHEET

PENOSIL Premium StrongFix 707

Date: 24.07.2013

Version nr.: 1 Revised:

1. Identification of the mixture and of the company/undertaking

1.1. Product identifier: PENOSIL Premium StrongFix 707

1.2. Relevant identified uses of the mixture and uses advised against:

Suitable for gluing and sealing indoors and outdoors. The construction adhesive with a high adhesion power is used for gluing metal, stone and wooden structures, as well as for general construction works where an especially strong connection is required. Adheres well to most construction materials such as wood, bricks, concrete, glass, copper, galvanizes steel, aluminium, etc. The gluing and sealing mass StrongFix 707 has good vibration and noise-suppressing properties.

1.3. Details of supplier of the safety data sheet: Krimelte Ltd

13619 Tallinn

Suur-Paala 10 Estonia Tel. +372 605 93 00 Fax: (+372) 605 93 15 112

1.4. Emergency telephone number:

2. Hazards identification

2.1. Classification of the mixture

According to 67/548/EC Product is classified as non-hazardous.

Health Avoid contact with eyes and skin

Environment Do not let into drains and groundwater.

Fire Lack of information

2.2. Label elements

2.2.1 Hazard symbol: Product is classified as non-hazardous.

2.2.2 Hazardous ingredients: No ingredients
2.2.3 R-phrases No phrases needed.
2.2.4 S-phrases: S2 Keep out of the reach of children

S24/S25 Avoid contact with skin and eyes

S36/37/39 Wear suitable protective clothing, gloves and eye/face

protection

2.3. Other hazards No data available.

3. Composition/information on ingredients

3.1. Substances. Classification of substances.

CAS-nr.	Chemical name	Content		Classification	
		Max.		According Directive 67/548/EEC	According Regulation 1272/2008 (CLP)
220-449-8	Trimethoxy vinylsilane	2,3	%	Xn R10 R20	Flam. Liq. 3: H226 Acute Tox. 4: H332
682-01-9	Tetrapropylortosilicat	0,4	%	Xi R36/38	Skin Irrit. 2: H315 Eye Irrit. 2: H319

www.penosil.com

Krimelte Ltd Suur-Paala 10 13619 Tallinn Estonia

tel +372 605 9300 fax +372 605 9315 info@penosil.com

SAFETY DATA SHEET

PENOSIL Premium StrongFix 707

4. First aid measures

4.1 Description of first aid measures

Inhalation: Move the exposed person to fresh air. Seek medical attention. Skin contact: Wash off with plenty of soap and water. Remove contaminated

clothing. Seek medical attention if irritation or symptoms persist.

Contact with eyes: Rinse eyes immediately with plenty of water, keeping the eye open.

Seek medical attention.

Ingestion: Do not induce vomiting or give water to drink. Seek medical attention and

show product label.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation No data available
Skin contact May be irritating to skin.
Contact with eyes May be irritating to eyes
Ingestion No data available

4.3. Indication of any immediate medical attention and special treatment needed

As a general rule, and in all cases of doubt or when symptoms persist, always seek medical attention.

5. Fire fighting measures

5.1 Extinguishing media

5.1.1. Suitable extinguishing media: Use extinguishing media appropriate the surrounding fire conditions. Use as appropriate: water spray, dry extinguishing media, foam and carbon dioxide.

5.1.2 Unsuitable extinguishing media: High volume water jet

5.2. Special hazards arising from the mixture: In case of fire the following can develop: Oxides of carbon and toxic pyrolysis products.

5.3. Advice for fire-fighters No specific recommendations.

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation of the working area. Wear protective clothing, goggles and protective chemical resistant gloves. Avoid contact with skin and eyes. Makes surfaces slippery.

6.2 Environmental precautions:

Do not let product into drains and ground water. The waste must be handled in accordance with legal requirements. Prevent leaking into surface and ground-water

6.3 Methods and material for containment and cleaning up

Use PENOSIL Premium CleaningWipes or organic solvents such as acetone or white spirits for removing uncured adhesive sealant. Cured adhesive sealant should be removed mechanically.

7. Handling and storage

7.1 Precaution for safe handling:

7.1.1. Protective measures Ensure good ventilation. Keep away from heat. Keep away from sources of ignition- No smoking. Avoid contact with eyes and

www.penosil.com

Krimelte Ltd Suur-Paala 10 13619 Tallinn Estonia

tel +372 605 9300 fax +372 605 9315 info@penosil.com

SAFETY DATA SHEET

PENOSIL Premium StrongFix 707

skin. Make use of protective goggles and protective chemical resistant gloves.

7.1.2. Advice on general occupational hygiene

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.

7.2. Conditions for safe storage, including any incompatibilities

Storage: Keep in a cool, dry, well-ventilated area. Keep the carefully closed cornet at the temperature from +5° C to +25° C, self-life min. 12 months.

7.3. Specific end use(s)

Suitable for gluing and sealing indoors and outdoors. The construction adhesive with a high adhesion power is used for gluing metal, stone and wooden structures, as well as for general construction works where an especially strong connection is required. Adheres well to most construction materials such as wood, bricks, concrete, glass, copper, galvanizes steel, aluminium, etc. The gluing and sealing mass StrongFix 707 has good vibration and noise-suppressing properties.

8. Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit value Lack of data

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Ensure adequate ventilation, especially in confined areas.

8.2.2. Individual protection measures, such as personal protective equipment

Eye/face protection: During the work make use of protective goggles (EN166). Skin protection: During the work make use of protective chemical resistant

gloves (EN374), clothing and footwear (EN 344).

Respiratory protection: Use the product only in well-ventilated rooms. 8.2.3. Environmental exposure controls Do not let into environment.

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Paste-like Colour White Odour Light

Hg Not applicable Melting point / freezing point Not relevant Boiling point Not relevant Flash point Not applicable Evaporation rate Not applicable Flammability Not applicable Not applicable **Explosion limits** Vapor pressure Not applicable Vapor density Not applicable

Relative density 1,55 g/ml g/cm³/+20 °C Solubility in water Insoluble in water Solubility in other solvents Not relevant

SAFETY DATA SHEET

PENOSIL PREMIUM STRONGFIX 707

www.penosil.com

Krimelte Ltd Suur-Paala 10 13619 Tallinn Estonia

tel +372 605 9300 fax +372 605 9315 info@penosil.com

SAFETY DATA SHEET

PENOSIL Premium StrongFix 707

Partition coefficient: n-octanol/water
Auto-ignition temperature
Decomposition temperature
Viscosity
Explosive properties
Oxidizing properties
Not applicable
Not applicable
Not applicable
Not applicable
Not oxidizing
Lack of data

10. Stability and reactivity

10.1. Reactivity: The mixture is not reactive under recommended storage and handling conditions (see section 7).

10.2. Chemical stability: The mixture is stable under recommended storage and handling conditions (see section 7).

10.3. Possibility of hazardous reactions

In case of fire, the product can create hazardous gases.

10.4 Conditions to avoid: Avoid strong heat. Protect from humidity.

10.5. Incompatible materials: Avoid contact with strong alkalis and strong acids. Water **10.6. Hazardous decomposition products:** In case of fire, the product can create hazard gases.

11. Toxicological information

11.1. Information on toxicological effects

11.1.1. Substances

11.1.1.1. The relevant hazard classes for which information shall be provides, are:

(a) Acute toxicity Lack of data (b) Skin corrosion / irritation Lack of data (c) Serious eye damage / irritation Lack of data (d) Respiratory or skin sensitization Lack of data (e) Germ cell mutagenicity Lack of data (f) Carcinogenicity Lack of data (g) Reproductive toxicity Lack of data (h) STOT-single exposure Lack of data (i) STOT-repeated exposure Lack of data

12. Ecological information

12.1. Toxicity Lack of data

12.2. Persistence and degradabilityPartially biologically degradable

12.3. Bio-accumulative potential:Not to be expected Not to be expected Not to be expected

12.5. Results of PBT and vPvB assessment: Lack of data **12.6. Other adverse effects** Lack of data

13. Disposal considerations

13.1. Waste treatment methods

13.1.1. Product / Packaging disposal: The product and packages must be handled in accordance with national and local requirements.

www.penosil.com

Krimelte Ltd Suur-Paala 10 13619 Tallinn Estonia

tel +372 605 9300 fax +372 605 9315 info@penosil.com

SAFETY DATA SHEET

PENOSIL Premium StrongFix 707

13.1.2. Waste treatment options: Uncontaminated packaging can be recycled. Dispose of

packaging that cannot be cleaned in the same manner

as the substance

13.2. Additional information No specific recommendations.

14. Transport information

14.1 UN numberNot known14.2 Packing GroupNot known

14.3 Road ADRThere are no restrictions14.4 Railway RIDTThere are no restrictions14.5 Transport by sea GGVSee/IMDG-CodeThere are no restrictions14.6 Air transport ICAO-TI/IATA-DGRThere are no restrictions

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the

mixture Not applicable

15.2. Chemical safety assessment

Chemical safety assessment is not needed, because product includes non-hazardous substances.

16. Other information

16.1. Date of preparation of the latest version of the SDS

Written in the beginning of the safety data sheet.

16.2. Abbreviations and acronyms

LC50: Lethal Concentration Medium

EC50: effective Concentration Medium

STOT: Specific target organ toxicity

PBP: Persistent, bioaccumulativ and toxic

vPvB: very persistent very bioaccumulative

Skin Irrit. 2: Skin Irritation Category 2

Eye Irrit. 2: Eye Irritation Category 2

Eye Dam. 1: Eye Damage Category 1

Skin Sens. 1: Skin Sensitisation Category 1

Aquatic Chronic 3: Aquatic Chronic Category 3

Acute Tox. 4: Acute Toxicity, Category 4

Flam. Liq 3.: Flammable Liquid, Category 3

16.3. Key literature references and sources of data

The safety data sheet meets the requirements of the European Parliament and Council Regulation (EC) No.1907/2006 and the Chemicals Act of the Republic of Estonia and regulation No 130 of Minister of Social Affairs.

16.4. Classification and classification procedure used for mixtures

16.5. Relevant R-phrases and/or H-statements (specified in clause 3)

According Directive 67/548/EEC

R10 Flammable

R20 Harmful by inhalation

R36/38 Irritating to eyes and skin

SAFETY DATA SHEET

PENOSIL PREMIUM STRONGFIX 707

www.penosil.com

Krimelte Ltd Suur-Paala 10 13619 Tallinn Estonia

tel +372 605 9300 fax +372 605 9315 info@penosil.com

SAFETY DATA SHEET

PENOSIL Premium StrongFix 707

According Regulation 1272/2008 (CLP)

H226 Flammable liquid and vapour

H315 Causes skin irritation

H319 Causes serious eye irritation

H332 Harmful if inhaled

16.6. Training advice16.7. Further informationNo specific recommendations.No specific recommendations.